

Techno Floor Forte**32104284****1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY**

Trade name : Techno Floor Forte
Type of product : Liquid.
Use : For professional use only.
Industrial.
Company identification : Ecover Belgium NV
Industrieweg 3
2390 Malle Belgium
e-mail: : sds@ecover.com
Phone : +32 (0)3 309 25 00
Fax : +32 (0)3 311 72 70
Emergency phone nr : +32 (0)70 245 245 (Antipoison Centre Belgium)
Responsible for placing on the market : See address above.

2. HAZARDS IDENTIFICATION

Hazards identification : According to the Preparation Directive 1999/45/EC this product is classified as:
Irritating.
Risk Phrases : R36 : Irritating to eyes.
Symptoms relating to use
- Inhalation : None under normal conditions.
Irritation of the bronchial tract, narcotic effects, dizziness and headaches may occur with high vapour concentrations.
- Skin contact : Prolonged or repeated contact may cause skin to become dry or irritated.
- Eye contact : Irritation to eyes.
- Ingestion : Abdominal pain.
Diarrhea.
Nausea.
Vomiting.
Headache.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Substance / Preparation : Preparation.
Components : This product contains hazardous components (Directive 67/548/EEC).
Composition : Regulation (CE) No. 648/2004 of 31 March 2004 on detergents:
< 5% : - Soap
5% - 15% : - Nonionic surfactants
Perfumes

Substance name	Contents	CAS No	EC No	Index No	Classification
Alkyl polyglycol ether C10-16 with PO and EO	> 5 < 15 %	69227-22-1	----	----	Xn; R22 Xi; R41
Dipropyleneglycol Methylether	> 1 < 5 %	34590-94-8	252-104-2	----	R10
2-amino-ethanol	> 1 < 5 %	141-43-5	205-483-3	603-030-00-8	Xn; R20/21/22 C; R34 Xi; R36/37/38
3-butoxypropan-2-ol (PNB)	> 1 < 5 %	5131-66-8	225-878-4	603-052-00-8	Xi; R36/38

Perfume : > 0.1 <= 1 %
INCI : Alkyl polyglycol ether C10-16 with PO and EO
PPG-2 METHYL ETHER
ETHANOLAMINE
BUTOXYPROPANOL
PARFUM

Techno Floor Forte**32104284****4. FIRST AID MEASURES****First aid measures**

- Inhalation : Fresh air, rest in half sitting position. Seek medical advice.
 - Skin contact : Rinse immediately with plenty of water.
Seek medical attention if ill effect or irritation develops.
 - Eye contact : Rinse immediately and for at least 15 minutes with copious amounts of water (also assure adequate flushing under the eyelids and if possible after having removed contact lenses). Bring the victim to an ophthalmist.
 - Ingestion : Wash out mouth and do not induce vomiting! Let the victim drink 2 glasses of water on his own.
Seek medical advice.
- Note to physician** : No specific recommendations.
Workplace equipment : No specific recommendations.

5. FIRE-FIGHTING MEASURES

- Specific hazards** : None.
- Extinguishing media**
- Suitable extinguishing media : All extinguishing media can be used.
 - Unsuitable extinguishing media : None.
- Protection against fire** : Exercise caution when fighting any chemical fire.
See Heading 8.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions** : Spill area may be slippery.
Avoid contact with skin and eyes.
Equip cleanup crew with proper protection.
See Heading 8.
- Environmental precautions** : Avoid release to the environment.
- Clean up methods** : Recover spilled material as much as possible in a clean container for reuse. Spilled product must be collected with sand or an inert absorbent material and dispose of as chemical waste. Rinse away remainder with water.

7. HANDLING AND STORAGE

- Protection against fire** : Not expected to be a fire/explosion hazard under normal conditions of use.
- Storage** : Store in a cool, dark and frost-free place in a closed packaging.
- Handling** : Avoid contact with skin and eyes.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

- Personal protection**
- Skin protection : Wear suitable protective clothing and gloves.
Wear waterproof gloves in case of frequent contact with undiluted product.
 - Eye protection : Wear safety goggles when clearing accidentally released material and if there is a risk of splashing.
 - Respiratory protection : Ensure sufficient ventilation. When exposed to high vapor concentrations wear a respirator for organic vapors (type A).
- Environment protection see § 6**
- Occupational Exposure Limits** : Dipropylenglycol Methylether : MAC [mg/m³] : 300
Dipropylenglycol Methylether : MAC [ppm] : 50
2-amino-ethanol : MAC [mg/m³] : 7.6
2-amino-ethanol : MAC [ppm] : 3

Techno Floor Forte**32104284****9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical state at 20 °C	: Liquid.
Colour	: Green.
Odour	: Pine oil
pH value (concentrated product)	: 11
Density	: 1,004 kg/l
Viscosity	: 13.2 cP
Solubility in water	: Complete.
Flash point [°C]	: >100
Volatile Organic Compounds (%)	: 1.7
Explosion limits	: None.
Oxidising properties	: None.

10. STABILITY AND REACTIVITY

Stability and reactivity	: No decomposition under normal conditions of storage and use.
Conditions to avoid	: Do not store <0°C and >40°C.
Materials to avoid	: Acids. Oxidizing agent.
Hazardous decomposition products	: DPM may form peroxides.

11. TOXICOLOGICAL INFORMATION

Skin irritation (Invitox n°99) (ppm)	: 660 Slight irritant.
Evaluation of the security for the human health	
- Dermal	: Not or only slightly irritant due to the composition.
- Ocular	: Irritation due to the composition.
- Ingestion	: Hardly toxic (LD 50 rat-oral-theoretic 500-5000 ppm).
Sensitization	: This product contains sensitizing fragrance components > 100 ppm: see § 2 and 15. Prolonged or repeated skin contact with the material will remove natural oils which leads to a dermatitis.
Note	: All Techno Green products contain only ELINCS or EINECS registered raw materials and do not contain any ingredients known to be mutagenic, carcinogenic, teratogenic or reproduction toxic (R45,46,47,49,60,61,63,64, EU 97/C234, 67/548/EEC, 88/379/EEC, OSHA, NTP, IARC (cat 1-3))

12. ECOLOGICAL INFORMATION

Ecological effects information	
Biodegradation [%] Sapromat respirometry test (OECD 301 F)	: 100 Biodegradable.
EC50 72h Algae (Selenastrum capricornutum) [ppm] (OECD 201)	: 342 Hardly toxic.
48 Hour EC50 Daphnia magna [ppm] (OECD 202)	: 30 Slightly toxic
Remarks	: Techno Green products do not contain any bioaccumulating raw materials and no PCM or nitromusk perfume components.

Techno Floor Forte**32104284****13. DISPOSAL CONSIDERATIONS**

- General** : Dispose in a safe manner in accordance with local/national regulations.
- Product** : Waste of this product is considered chemical waste. The legislation concerning disposal of waste can differ from one country/state to another. The disposal should therefore be done according to national or local waste legislation. If in doubt, ask the local waste management authority for advice (also see § 6 and § 8 when disposing of).
- Packaging** : The empty packaging of this product is not subject to ADR. Cleaned empty packaging (including labels and caps) is fully recyclable (HDPE + PP); they may be collected selectively for recycling according to national or local waste legislation. Uncleaned packaging should be disposed of as non-chemical waste.

14. TRANSPORT INFORMATION

- General information** : Not classified.

15. REGULATORY INFORMATION**Symbol(s)**

- R Phrase(s)** : Xi : Irritant
: R36 : Irritating to eyes.
- S Phrase(s)** : S25 : Avoid contact with eyes.
: S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
: S39 : Wear eye/face protection.
- EEC Composition of detergents** : < 5% : - Soap
: 5% - 15% : - Nonionic surfactants
: Perfumes

16. OTHER INFORMATION

- Training advice** : For correct use of this product: see Technical Data Sheet.
- List of relevant R phrases (heading 3)** : R10 : Flammable.
: R20/21/22 : Harmful by inhalation, in contact with skin and if swallowed.
: R22 : Harmful if swallowed.
: R34 : Causes burns.
: R36/37/38 : Irritating to eyes, respiratory system and skin.
: R36/38 : Irritating to eyes and skin.
: R41 : Risk of serious damage to eyes.
- Sources of key data used** : MSDS and additional literature data of the respective suppliers.
: Chemiekaarten, 21th edition, 2006, ed. MIA, VMCI, Samson.
- Revision** : First version of this MSDS in this new format.
- Print date** : 15 / 5 / 2009

The contents and format of this SDS are in accordance with Regulation (EC) No 1907/2006

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

End of document